



REINVENT HOW THE WORLD CLEANS







T12

Compact battery-powered rider scrubber

Get the power of a heavy-duty floor scrubber with the compact, easily maneuverable T12 compact battery ride-on floor scrubber. Engineered for easy operation and maintenance, the T12 combines innovative features and substantial power for an effective clean.

Available technologies

-  ec-H2O™ technology
-  IRIS® Asset Manager
-  Lithium-ion technology
-  High capacity battery power sources

Engineered for **productivity**



1



4



2



5



3



6

1. Operate easily with operator controls are easy to use with the 1-Step™ Start Button that simplifies training and ensures consistent cleaning performance.

2. Easy to identify maintenance Touch Points ensure daily maintenance items are checked and your investment is properly maintained and protected.

3. Convenient right hand dash mounted controls with horn button (T12 only).

4. Clean floors from edge to edge and achieve a 28% wider scrub path with the optional scrubbing side brush.

5. Promote a safe cleaning environment with the safety light package with headlights and AV backup alarm (standard on T12 XP, optional on T12).

6. Easily maneuver the scrubber while cleaning controls stay fixed in the center of the steering wheel with the Touch-n-Go™ Control Module (T12 XP only).

Optional accessories



Vac wand provides convenient and quick off machine spill recovery.




Spray hose allows for remote access to the cleaning solution for hard to reach areas and makes machine cleanup easier.



Lower maintenance and repair costs with a heavy duty front bumper.

Inside the T12




- 1. Enhanced ergonomics** that allow ease of use through intuitive controls and excellent visibility.
- 2. Achieve consistent, cost-effective cleaning** with QA Controls™ by locking in ideal machine settings for your unique cleaning needs
- 3. Extend component life and reduce maintenance cost** with the AC brushless propelling motor that operates more efficiently than traditional DC motors.
- 4. Reduce fatigue and increase operator safety** with the large operator compartment allowing substantial leg room while providing easy ingress and egress from either side of the machine.
- 5. Improve cleaning results** with the scrub head (disk or cylindrical) that best suits the application and simplify maintenance with no-tool brush change.
- 6. Reduce the risk of slip and fall accidents** with the Dura-Track™ parabolic squeegee system that provides excellent water recovery and can be changed easily without tools.

Optional accessories



Rear squeegee protection kit prevents damage to the machine.



Deluxe seat (standard on T12 XP, optional on T12).

T12 specifications

CLEANING SYSTEM

| | |
|---|---|
| Scrubbing Path (standard) with scrubbing side brush | 32 in / 810 mm 41 in / 1,040 mm |
| Disk brush motor (2) | 1.0 hp / .75 kW |
| Disk brush speed | 325 rpm |
| Disk brush down pressure (variable to) | 250 lb / 114 kg |
| Cylindrical brush motor (2) | 1.0 hp / .75 kW |
| Cylindrical brush speed | 600 rpm |
| Cylindrical brush down pressure (variable to) | 200 lb / 91 kg |
| Solution tank | 35 gal / 132 L |
| Recovery tank | 44 gal / 166 L |
| Vacuum fan speed water lift | 0.8 hp / 0.6 kW 14,500 rpm 65 in / 1,650 mm |

PROPELLING SYSTEM

| | |
|---|---|
| Propel speed forward (variable to) Propel speed reverse (variable to) | 5.0 mph / 8 km / h 2.5 mph / 4 km / h |
| Gradeability (transport at gross weight) working (scrubbing) | 8° / 14.1% 4° / 7% |

BATTERY SELECTIONS

| | |
|---------------------------|--|
| Battery optional packages | Wet 235 AH Wet 360 AH Lithium-ion 36V, 160 AH Lithium-ion 36V, 240 AH Lithium-ion 36V, 320 AH |
|---------------------------|--|

MACHINE SPECIFICATIONS

| | |
|--|---------------------------------------|
| Length basic machine | 67.25 in / 1,710 mm |
| Width, body | 37.25 in / 945 mm |
| Height (top of steering wheel) | 56 in / 1,420 mm |
| Weight empty (no battery) | 1,030 lb / 468 kg |
| Minimum aisle turn | 83 in / 2,110 mm |
| Sound level (Disk: Mode #2*) (Cylindrical: Mode #2*) | |
| Sound pressure level tested per IEC 60335-2-72 | 62 dBA; Kpa 3 dBA 63 dBA; Kpa 3 dBA |
| *Vacuum On, Squeegee Down, Brushes On, Brushes Up | |

WARRANTY

See your local representative for warranty information

Specifications subject to change without notice.

Tennant – Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



Solutions for your unique needs

Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



TennantTrue®

Optimize equipment performance and protect your investment with TennantTrue® parts and service.

For a demonstration or additional information, call **+1.800.553.8033** or email **info@tennantco.com**

Tennant Company

10400 Clean Street
Eden Prairie, MN 55344-2650, USA

USA/Canada: +1.800.553.8033

Quebec: +1.800.361.9050

Overseas: +1.763.540.1315

www.tennantco.com