

Scrubber

COMMON PARTS & CONSUMABLES

Only genuine Tennant parts can ensure peak performance for the life of your equipment.

Serial#

Brushes

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines.
- Easy installation helps reduce machine downtime and service calls
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass.

	PART DESCRIPTION	SCRUB PATH / BRUSH SIZE	PART #
MAIN DISK BRUSH	Nylon Disk Scrub Brush Assembly		1220235
	Polypropylene Disk Scrub Brush	32" (810 mm) /	1220241
	Heavy Duty Polypropylene Disk Scrub Brush	2 x 16" (406 mm) brushes	1220236
	Super Abrasive Disk Scrub Brush		1221543
	Polyester Cylindrical Scrub Brush		1201927
MAIN	Polypropylene Cylindrical Scrub Brush	32" (810 mm) / 2 x 31" (787 mm) brushes	1201572
CYLINDRICAL BRUSH	Heavy Duty Polypropylene Cylindrical Scrub Brush		1201926
	Super Abrasive Cylindrical Scrub Brush		1201928
SIDE BRUSH	Nylon Disk Scrub Brush Assembly		1220230
	Polypropylene Disk Scrub Brush	1 x 13" (330 mm) brush	1220240
	Heavy Duty Polypropylene Disk Scrub Brush		1220231
	Super Abrasive Disk Scrub Brush		

Pads/Pad Drivers

- Available for a variety of cleaning needs and floor types.
 - Polishing
 - Scrubbing
 - Stripping

	PART DESCRIPTION	SCRUB PATH / BRUSH SIZE	PART#
DIOK OIDE	3M™ White Polishing Pad, case of 5		1243342
	3M™ Red Cleaning Pad, case of 5		1243341
	$3M^{TM}$ Blue Scrubbing Pad, case of 5	1 x 13" (330 mm) pad	1243655
DISK SIDE	3M™ Brown Stripping Pad, case of 5		1243567
	3M™ Maroon Surface Prep Pad, case of 5		1243666
	Pad Driver Assembly		1220243
	3M TM White Polishing Pad, case of 5		1243356
	3M™ Red Cleaning Pad, case of 5		1243355
DISK MAIN	3M TM Blue Scrubbing Pad, case of 5		1243354
	3M TM Brown Stripping Pad, case of 5	32" (810 mm) / 2 x 16" (406 mm) pads	1243685
	3M™ Black HiPro Stripping Pad, case of 5	2 x 10 (400 mm) pads	1243659
	3M TM Maroon Surface Prep Pad, case of 5		1243668
	Pad Driver Assembly		1220199

Stone Care Solutions

- Easy and effective method to restore concrete and terrazzo floors to a high gloss finish.
- Our Stone Care Solutions enable professionals to grind and polish concrete floors using standard cleaning equipment.

DIAMABRUSH™ STONE CARE TOOL					
DISK DIAMETER	СОМРО	NENT	DISK ASSEMBLY PART #	BLADE KIT #	BLADE KITS PER DISK
	CONCRETE PREP PLUS	100 Grit CW	1261891	1231196	1
	CONCRETE PREP PLUS	100 Grit CCW	1261892	1231197	1
	POLYMER BLADE	50	1261877	1060171	4
16"		100	1261878	1060180	4
(406 mm)		200	1261879	1060181	4
		400	1261880	1060182	4
		1000	1261881	1060183	4
		2000	1261882	1060184	4

Squeegees

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines.
- Less rework and low labor costs.
- Ideal for use in a variety of applications.
 - Premium Linatex® and Linard® rubber exhibits outstanding strength and resistance to cutting and tearing.
 - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based oils.
 - Economy Gum Rubber is cost-effective option for smooth, indoor floors, made of a combination of natural material and fillers.

	PART DESCRIPTION	PART #
SIDE BRUSH	Outer Linatex® Side Squeegee	1201345
	Outer Urethane Side Squeegee	1204541
	Outer Gum Rubber Side Squeegee	1204543
	Inner Linatex® Side Squeegee	1201343
	Inner Urethane Side Squeegee	1204540
	Inner Gum Rubber Side Squeegee	1204542
	Linatex® Side Squeegee	1200430
SIDE	Urethane Side Squeegee	1202159
	Gum Rubber Side Squeegee	1202160
	Linatex® Front Squeegee	1213211
FRONT	Urethane Front Squeegee	1213266
	Gum Rubber Front Squeegee	1213267
	Linatex® Rear Squeegee	1200384
REAR	Urethane Rear Squeegee	1201824
	Gum Rubber Rear Squeegee	1201826

Batteries/Chargers

	PART DESCRIPTION	PART#
BATTERIES	6V, 240AH Wet Battery (6 req)	222280
	6V, 360AH Wet Battery (6 req)	1070587
	6V, 312AH AGM Battery (6 req)	1031914
	36V, 80AH, Lithium Ion Battery (2-4 req)	1257716
CHARGERS	Wet & AGM Offboard 21A Charger, 85-265VAC 1PH	1043662
	Li-Ion Offboard 33A Charger, 100-240VA 1PH	1242861

General Maintenance

PART DESCRIPTION	PART #
Ignition Key	361144
Rear Squeegee Swivel Caster	1205850
Squeegee Wheel	363162
Solid Tire Assembly	1060626
Dust Panel Filter	1037821
Vacuum Fan	1200149
Squeegee Vacuum Hose	1201875
Squeegee Hose with 2 Cuffs	1200642
Front Skirt (Disk Only)	1201053
Rear Skirt (Disk Only)	1201127

Tennant True® cleaning solutions

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components.
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives.
- Color coded for easy identification, training, and safety.
- Low-foam formulas allows for easy rinsing and may help extend some equipment components.

PART DESCRIPTION	SIZE	PART#
	5 gal	9006758
	15 gal w/pump	9006759
Neutral pH Daily Cleaner (clear): For light-duty cleaning, safe for all floor	15 gal	9006760
types, low foam, contains biodegradable surfactants, and Green Seal & NSF certified	55 gal w/pump	9006761
	55 gal	9006762
	275 gal	9006763
	5 gal	9006764
General Purpose Cleaner (purple): For medium-duty cleaning, safe for most	15 gal	9006766
floor types, low foam, contains biodegradable surfactants, and Green Seal & NSF certified	55 gal	9006768
	275 gal	9006769
	5 gal	9006770
	15 gal w/pump	9006771
Neutral pH Solvent Degreaser (yellow): For aggressive cleaning, heavy	15 gal	9006772
manufacturing & industrial environments, low foam, contains low volatile solvents & biodegradable surfactants, and is NSF certified	55 gal w/pump	9006773
	55 gal	9006774
	275 gal	9006775
	5 gal	9006776
	15 gal w/pump	9006777
High Alkaline Degreaser (red): For heavy-duty cleaning, heavy manufacturing	15 gal	9006778
& industrial environments, low foam, contains low volatile solvents & biodegradable surfactants, and is NSF certified	55 gal w/pump	9006779
orotog, addition out and all of the common	55 gal	9006780
	275 gal	9006781
High Alkaline Degreaser (white granular): Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning - one 2.2 lb bag /	22 Lb box	9006782
4 cups per 30 gal warm water; heavy cleaning - one 2.2 lb bag / 4 cups per 15 gal warm water.	granular drum	9006783
Super Strength Solvent Degreaser (orange): For extremely aggressive cleaning in heavy manufacturing & industrial environments. Good for grease	5 gal	9008791
& mark removal. Low foam. Contains environmentally safer surfactants. NSF certified. pH: 7-8. Dilution: General cleaning – 1/2-3 oz per gal; Heavy cleaning – 4-8 oz per gal; Severe cleaning – up to 15 oz per gal.	55 gal	9008795