

## **T16**

# Scrubber

#### COMMON PARTS & CONSUMABLES

Only genuine Tennant parts can ensure peak performance for the life of your equipment.

Serial #

#### **Brushes**

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines.
- Easy installation helps reduce machine downtime and service calls.
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass.

	PART DESCRIPTION	SCRUB PATH / BRUSH SIZE	PART #
MAIN DISK BRUSH	Nylon Disk Scrub Brush Assembly	36" (910 mm) / 2 x 18" (457 mm) brushes	1220191
	Polypropylene Disk Scrub Brush		1220188
	Super Abrasive Disk Scrub Brush	27.10 (107.1111) 2.100.100	1220190
	Polypropylene Cylindrical Pre-Sweep	1 x 24" (610 mm) Pre-Sweep brush	80058
MAIN	Polyester Cylindrical Scrub Brush		1053895
CYLINDRICAL BRUSH	Polypropylene Cylindrical Scrub Brush	36" (910 mm) / 2 x 35" (889 mm) brushes	1053893
Ditto on	Heavy Duty Polypropylene Cylindrical Scrub		1053894
	Super Abrasive Cylindrical Scrub Brush		1062578
	Nylon Disk Scrub Brush		1220230
	Polypropylene Disk Scrub Brush	1 x 13" (330 mm) brush	1220240
SIDE BRUSH	Heavy Duty Polypropylene Disk Scrub Brush		1220231
	Super Abrasive Disk Scrub Brush		1220232
	Polypropylene Disk Sweep Brush Assembly	2 x 19" (483 mm) Pre-Sweep brushes	1220186

#### Pads / Pad Drivers

- Available for a variety of cleaning needs and floor types.
  - Polishing
  - Scrubbing
  - Stripping

	PART DESCRIPTION	SCRUB PATH / BRUSH SIZE	PART #
DISK SIDE	3M™ White Polishing Pad, case of 5		1243342
	3M™ Red Cleaning Pad, case of 5		1243341
	3M <sup>™</sup> Blue Scrubbing Pad, case of $5$	1 x 13" (330 mm) pad	1243655
	3M™ Brown Stripping Pad, case of 5		1243567
	Pad Driver Assembly		1220243
DISK MAIN	3M™ White Polishing Pad, case of 5	0011 (010 ) /	1243337
	3M™ Red Cleaning Pad, case of 5	32" (810 mm) / 2 x 16" (406 mm) pads	1243336
	3M™ Blue Scrubbing Pad, case of 5	2 x 10 (100 mm) pado	1243335
PAD DRIVER	DuraSafe Pad Driver		1220200

#### **Stone Care Solutions**

- Easy and effective method to restore concrete and terrazzo floors to a high gloss finish.
- Our Stone Care Solutions enable professionals to grind and polish concrete floors using standard cleaning equipment.

DIAMABRUSH™ STONE CARE TOOL					
DISK DIAMETER	СОМР	ONENT	DISK ASSEMBLY PART #	BLADE KIT #	BLADE KITS PER DISK
18" (457 mm)	CONCRETE PREP	100 Grit CW	1261893	1231201	1
		100 Grit CCW	1261894	1231202	1
	POLYMER BLADE	50	1261885	1060171	4
		100	1261886	1060180	4
		200	1261887	1060181	4
		400	1261888	1060182	4
		1000	1261889	1060183	4
		2000	1261890	1060184	4

### Squeegees

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines.
- Less rework and low labor costs.
- Ideal for use in a variety of applications.
  - Premium Linatex® and Linard® rubber exhibits outstanding strength and resistance to cutting and tearing.
  - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based oils.
  - Economy Gum Rubber is cost-effective option for smooth, indoor floors, made of a combination of natural material and fillers.

	PART DESCRIPTION	PART #
	Linatex® Side Squeegee	1054670
SIDE	Urethane Side Squeegee	1061185
	Gum Rubber Side Squeegee	1061184
FRONT	Linard® Side Squeegee	1056453
	Urethane Side Squeegee	1061200
	Gum Rubber Side Squeegee	1061201
REAR	Linatex® Front Squeegee	1051283
	Urethane Front Squeegee	1253518
	Gum Rubber Front Squeegee	1253519

### **Batteries/Chargers**

	PART DESCRIPTION	PART#
BATTERIES	6V, 240AH Wet Battery (6 req)	222280
	6V, 360AH Wet Battery (6 req)	1070587
	6V, 312AH AGM Battery (6 req)	1031914
	36V, 80AH, Lithium Ion Battery (3-4 req)	1257716
CHARGERS	Wet & AGM Offboard 21A Charger, 85-265VAC 1PH	1043662
	Li-Ion Offboard 33A Charger, 100-240VA 1PH	1242861
	Li-lon Offboard 90A Charger, 200-240VAC 1PH	1253031

#### **General Maintenance**

PART DESCRIPTION	PART#
Dust Panel Filter	1037822
Ignition Key	361144
Front Skirt Disk	1057021
Hopper Skirt	1058110
Rear Dust Skirt	1054787
Rear Recirculation Flap	1058111
Rear Skirt Disk	223520
Side Skirt	1056813
Squeegee Caster Wheel	1205850
Squeegee Wheel	363162

## Tennant*True*® cleaning solutions

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components.
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives.
- Color coded for easy identification, training, and safety.
- Low-foam formulas allows for easy rinsing and may help extend some equipment components.

PART DESCRIPTION	SIZE	PART #
	5 gal	9006758
	15 gal w/pump	9006759
Neutral pH Daily Cleaner (clear): For light-duty cleaning, safe for all floor	15 gal	9006760
types, low foam, contains biodegradable surfactants, and Green Seal & NSF certified	55 gal w/pump	9006761
	55 gal	9006762
	275 gal	9006763
	5 gal	9006764
General Purpose Cleaner (purple): For medium-duty cleaning, safe for most	15 gal	9006766
floor types, low foam, contains biodegradable surfactants, and Green Seal & NSF certified	55 gal	9006768
	275 gal	9006769
	5 gal	9006770
	15 gal w/pump	9006771
<b>Neutral pH Solvent Degreaser (yellow):</b> For aggressive cleaning, heavy manufacturing & industrial environments, low foam, contains low volatile	15 gal	9006772
solvents & biodegradable surfactants, and is NSF certified	55 gal w/pump	9006773
,,	55 gal	9006774
	275 gal	9006775
	5 gal	9006776
	15 gal w/pump	9006777
<b>High Alkaline Degreaser (red):</b> For heavy-duty cleaning, heavy manufacturing & industrial environments, low foam, contains low volatile solvents &	15 gal	9006778
biodegradable surfactants, and is NSF certified	55 gal w/pump	9006779
·	55 gal	9006780
	275 gal	9006781
<b>High Alkaline Degreaser (white granular):</b> Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning - one 2.2 lb bag /	22 Lb box	9006782
4 cups per 30 gal warm water; heavy cleaning - one 2.2 lb bag / 4 cups per 15 gal warm water.	granular drum	9006783
Super Strength Solvent Degreaser (orange): For extremely aggressive cleaning in heavy manufacturing & industrial environments. Good for grease	5 gal	9008791
& mark removal. Low foam. Contains environmentally safer surfactants. NSF certified. pH: 7-8. Dilution: General cleaning – 1/2-3 oz per gal; Heavy cleaning – 4-8 oz per gal; Severe cleaning – up to 15 oz per gal.	55 gal	9008795