



M20

Sweeper - Scrubber

COMMON PARTS & CONSUMABLES

Only genuine Tennant parts can ensure peak performance for the life of your equipment.

Serial # _____

Brushes

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines.
- Easy installation helps reduce machine downtime and service calls.
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass.

	PART DESCRIPTION	SCRUB PATH / BRUSH SIZE	PART #
CYLINDRICAL MAIN BRUSH	Polyester Cylindrical Brush		1027697
	Polypropylene Cylindrical Brush	40" (1020 mm) /	1026223
	Heavy Duty Polypropylene Cylindrical Brush	2 x 40" (1020 mm) brushes	1030969
	Super Abrasive Cylindrical Brush		1026222
SIDE BRUSH	Nylon Disk Scrub Brush		1220235
	Heavy Duty Polypropylene Disk Scrub Brush	1 x 16" (406 mm) brush	1220236
	Super Abrasive Disk Scrub Brush		1221543
	Polypropylene Disk Sweep Brush	1 x 24" (610 mm) brush	1220185

Squeegees

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines.
- Less rework and low labor costs.
- Ideal for use in a variety of applications.
 - Premium Linatex® and Linard® rubber exhibits outstanding strength and resistance to cutting and tearing.
 - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based oils.
 - Economy Gum Rubber is cost-effective option for smooth, indoor floors, made of a combination of natural material and fillers.

	PART DESCRIPTION	PART #
FRONT	Linard® Front Squeegee	1017868
	Urethane Front Squeegee	1027719
	Linatex® Rear Squeegee	1031331
REAR	Urethane Rear Squeegee	1031945
	Linatex® Rear Squeegee End Gasket	83874
SIDE	Linatex® Left and Right Side Squeegee	1031011
	Urethane Left and Right Side Squeegee	1031823
SIDE BRUSH	Linatex® Side Brush Squeegee	1025005
	Urethane Side Brush Squeegee	1027716

General Maintenance

PART DESCRIPTION	PART #
Hydraulic Oil Filter	1021579
20 Mesh Solution Filter	1027290
Dust Panel Filter – Synthetic	1048295AM
Air Filter Element – GM Gas / LP, Mitsubishi Gas / LP, Diesel	369746
Spin-On Oil Filter – GM Gas / LP	371972
Spin-On Oil Filter – Mitsubishi Gas / LP	393982
Spin-On Oil Filter – Diesel	39703-2
Fuel Filter – GM Gas, Mitsubishi Gas	372440
Fuel Filter – GM LP	372615
Fuel Filter – Mitsubishi LP	9007380
Fuel Filter – Diesel	1017126
Squeegee Wheel	20833
Ignition Key (set of 2)	87866
12V, 475CCA Wet Battery	10137
Spark Plug – GM Gas / LP	372575
Spark Plug – Mitsubishi Gas / LP	9010622
39" Alternator Belt – GM	372571
39" Alternator Belt – Mitsubishi	1071145
42" Alternator Belt – Diesel (for machine serial number above 002593)	393244
Side Door Inner Skirt	1024586
Side Door Outer Skirt	1019295
Front Tabbed Skirt	1020166
Rear Skirt	1022009
Rear Recirculation Flap	1022007
18.0 X 6.0 Solid Hi Traction Tire Assembly	1059343

TennantTrue® Cleaning Solutions

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components.
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives.
- Color coded for easy identification, training, and safety.
- Low-foam formulas allows for easy rinsing and may help extend some equipment components.

PART DESCRIPTION	SIZE	PART #
Neutral pH Daily Cleaner (Clear): For light-duty cleaning, safe for all floor types, low foam, contains biodegradable surfactants, and Green Seal & NSF certified	2.5 gal	9015248
	5 gal	9006758
	15 gal w/pump*	9006759
	15 gal	9006760
	55 gal w/pump*	9006761
	55 gal	9006762
Neutral Purpose Cleaner (Purple): For medium-duty cleaning, safe for most floor types, low foam, contains biodegradable surfactants, and Green Seal & NSF certified	275 gal*	9006763
	2.5 gal	9015246
	5 gal	9006764
	15 gal w/pump*	9006765
	15 gal	9006766
	55 gal w/pump*	9006767
Neutral pH Solvent Degreaser (Yellow): For aggressive cleaning, heavy manufacturing & industrial environments, low foam, contains low volatile solvents & biodegradable surfactants, and is NSF certified	55 gal	9006768
	275 gal*	9006769
	2.5 gal	9015247
	5 gal	9006770
	15 gal w/pump*	9006771
	15 gal	9006772
High Alkaline Degreaser (Red): For heavy-duty cleaning, heavy manufacturing & industrial environments, low foam, contains low volatile solvents & biodegradable surfactants, and is NSF certified	55 gal w/pump*	9006773
	55 gal	9006774
	275 gal*	9006775
	2.5 gal	9015249
	5 gal	9006776
	15 gal w/pump*	9006777
Super Strength Solvent Degreaser (Orange): For extremely aggressive cleaning in heavy manufacturing & industrial environments. Good for grease & mark removal. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: General cleaning – 1/2-3 oz per gal; Heavy cleaning – 4-8 oz per gal; Severe cleaning – up to 15 oz per gal.	15 gal	9006778
	55 gal w/pump*	9006779
	55 gal	9006780
	275 gal*	9006781
	22 Lb box	9006782
	granular drum	9006783
	2.5 gal	9015250
	5 gal	9008791
	55 gal	9008795
	9 15- gal	9008796
	4 55- gal	9008797
	275 gal*	9008798